

Innovative Technology, Purified Surfaces and Air + Earth-friendly Solutions.



PRODUCT CATALOG & SPECIFICATIONS BOOK

Table of Contents

Air Scrubber by Aerus
Induct 500
Induct 750
Induct 2000
Induct 5000
Induct 10000
Aerus Pure & Clean
AP500
Air Scrubber Mini by Aerus
Air Scrubber Mini EM by Aerus
PureCloud
Air Scrubber Mobile by Aerus
Laundry Pro 2.0



The ActivePure® Technology built into each unit is based on a variation of the technology originally developed for use on the International Space Station and is recognized as the exclusive Certified Space Technology™ in its category.

Air Scrubber BY AERUS

WITH CERTIFIED SPACE TECHNOLOGY

DUCT MOUNTED SYSTEM

Uses the same ActivePure[®] Technology that was proven to reduce over 99.9% of the surface and airborne SARS-CoV-2 virus that causes COVID-19¹

INTENDED USE

The Air Scrubber by Aerus attaches directly to the HVAC system ductwork to reduce viruses, bacteria, and other contaminants in the ambient air and on surfaces in busines and homes up to 2,000 sq. ft.

BENEFITS

- Uses the latest version of ActivePure® Technology
- Provides continuous surface decontamination and air purification in real time
- Safely removes allergy and asthma triggering contaminants
- Protects your heating and cooling system from potentially dangerous buildup

HOW IT WORKS

- Our proprietary ActivePure® Technology uses high-intensity UVC light and a catalytic process to produce scrubber ions and hydroperoxides that inactivate contaminants on surfaces and in the air
- Advanced ActivePure® Technology continuously protects and purifies the environment around you
- Installed by a professional directly to the existing HVAC system ductwork

¹Testing done at an independent FDA Certified Compliant Laboratory at UTMB

SPECIFICATIONS

Air Scrubber by Aerus 9960052 Model: A1013U (ozone free) Meets California emissions limit. CARB Certified.

Air Scrubber by Aerus

9960051 Model: A1013P

NOTE: This unit does not meet California requirements and cannot be shipped to California.

Technology	ActivePure®	
Electrical	Input voltage: 24 Volts, 1 Amp, 50/60 Hz	Current: 17 Watts
Mechanical	Distribution via air handler	Safety switch installed
Unit Dimensions	8.5"H x 8.5"W x 11"D	21.59cm H x 21.59cm W x 27.94cm D
Cell Dimensions	2.250"H x 2.250"W x 9.0"D	5.71cm H x 5.71cm W x 22.86cm D
Weight	3 lbs.	1.2 kilograms
Operating Temperature	34°F - 200°F	1.1°C - 93°C
Coverage	Up to 2,000 sq. ft.	186 m ²
Warranty	Limited 5 year warranty; 2 year warranty on ActivePure Cell	& Bulb



NOTABLE ACTIVEPURE[®] FACTS

- Primary technology in an FDA-Cleared Class II Medical Device
- Inducted into the Space Technology Hall of Fame in 2017 and is the only Certified Space Technology product in its class
- Ongoing 2-year double-blind study with the Cleveland Clinic
- Used by 29 professional baseball teams

PROOF IT WORKS

In extensive independent lab testing, ActivePure® has been proven to significantly reduce the following contaminants and pathogens:

- Aspergillus Niger
- Avian Flu
- Bacillus Globigii
- Clostridium Difficile
- Candida Albicans
- E. Coli
- Hepatitis A
- Legionella Pneumophila
- MRSA
 MS2 Bacteriophage RNA Virus

Smoke

Murine Norovirus

Listeria Monocytogenes

- Phi-X 174 DNA Virus
 Pseudomonas spp.
- i seodomonds spp.
- SARS-Cov-2 Coronavirus
- VOCs

Stachybotrys

Chartarum

Aureus

• Staphylococcus

Staphulococcus

Streptococcus spp.

Epidermis

• Swine Flu

) 🔘 💉

2017 Space Technology Hall of Fame Inductee Made in the USA



SINGLE ROOM AIR SYSTEM

Uses the same ActivePure® Technology that was proven to reduce over 99.9% of the surface and airborne SARS-CoV-2 virus that causes COVID-19¹

INTENDED USE

The Induct 500 attaches directly to the HVAC system ductwork and utilizes ActivePure® Technology to remove surface contaminants, air pollution, VOCs, pet dander, odors and dust, resulting in a cleaner, healthier and more efficient environment. Induct 500 is compact, self-contained and requires no cleaning. Covers up to 500 square feet.

BENEFITS

- Uses the latest version of ActivePure® Technology
- Provides continuous surface decontamination and air purification in real time
- Safely removes allergy and asthma triggering contaminants
- Protects your heating and cooling system from potentially dangerous buildup

HOW IT WORKS

- Our proprietary ActivePure® Technology uses high-intensity UVC light and a catalytic process to produce scrubber ions and hydro-peroxides that inactivate contaminants on surfaces and in the air
- Advanced ActivePure® Technology continuously protects and purifies the environment around you
- Installed by a professional directly to the existing HVAC system ductwork

¹Testing done at an independent FDA Certified Compliant Laboratory at UTMB

SPECIFICATIONS

9960042 Model: A1030A (ozone free) INDUCT 500 9960043 Model: A1030B Technology ActivePure® Cells Electrical Input: 100-240VAC; 50/60 Hz; 1.2A Output: 12VDC; 3A Current: 5 Watts – Switching Power Supply Mechanical Retainer clip included Unit Dimensions 10.38" L x 2.25" W x 1.25" H 28.37cm L x 5.72cm W x 3.175cm H Cell Dimensions 0.85"W x 5.071" D 2.16cm W x 12.88cm D Weight .7 lbs. (unit only) 0.3 kilograms (unit only) Operating Temperature 34°F - 200°F 1.1°C – 93°C Coverage Up to 500 sq. ft. 46 m² Warranty Limited 3 year warranty

NOTABLE ACTIVEPURE® FACTS

- Primary technology in an FDA-Cleared Class II Medical Device
- Inducted into the Space Technology Hall of Fame in 2017 and is the only Certified Space Technology product in its class
- Ongoing 2-year double-blind study with the Cleveland Clinic
- Used by 29 professional baseball teams

PROOF IT WORKS

In extensive independent lab testing, ActivePure® has been proven to significantly reduce the following contaminants and pathogens:

Listeria Monocutoaenes

MS2 Bacteriophage RNA Virus

- Aspergillus Niger
- Avian Flu
- Bacillus Globiaii Clostridium Difficile

Candida Albicans

• E Coli

• Hepatitis A

Murine Norovirus

MRSA

- Phi-X 174 DNA Virus
- Pseudomonas spp.
- SARS-Cov-2 Coronavirus Smoke
- VOCs

ActivePure TECHNOLOGY

• Legionella Pneumophila







 Stachubotrus Chartarum

Staphylococcus

Staphylococcus

Streptococcus spp.

Epidermis

• Swine Flu

Aureus

2017 Space Technology Hall of Fame Inductee

DUCT MOUNTED SYSTEM

Uses the same ActivePure[®] Technology that was proven to reduce over 99.9% of the surface and airborne SARS-CoV-2 virus that causes COVID-19¹

INTENDED USE

The Induct 750 attaches directly to the HVAC system ductwork and utilizes ActivePure® Technology to substantially reduce viruses, bacteria and other contaminants in the ambient air and surfaces in businesses, home and spaces up to 750 sq. ft.

BENEFITS

- Uses the latest version of ActivePure® Technology
- Provides continuous surface decontamination and air purification
 in real time
- Safely removes allergy and asthma triggering contaminants
- Protects your heating and cooling system from potentially dangerous buildup

HOW IT WORKS

- Our proprietary ActivePure® Technology uses high-intensity UVC light and a catalytic process to produce scrubber ions and hydroperoxides that inactivate contaminants on surfaces and in the air
- Advanced ActivePure* Technology continuously protects and purifies the environment around you
- Installed by a professional directly to the existing HVAC system ductwork

¹Testing done at an independent FDA Certified Compliant Laboratory at UTMB

<image><image>

NOTABLE ACTIVEPURE® FACTS

- Primary technology in an FDA-Cleared Class II Medical Device
- Inducted into the Space Technology Hall of Fame in 2017 and is the only Certified Space Technology product in its class
- Ongoing 2-year double-blind study with the Cleveland Clinic
- Used by 29 professional baseball teams

PROOF IT WORKS

In extensive independent lab testing, ActivePure® has been proven to significantly reduce the following contaminants and pathogens:

Murine Norovirus

• Phi-X 174 DNA Virus

• Pseudomonas spp.

• SARS-Cov-2 Coronavirus

MRSA

Smoke

Listeria Monocytogenes

MS2 Bacteriophage RNA Virus

- Aspergillus Niger
- Avian Flu
- Bacillus Globigii
- Clostridium Difficile
- Candida Albicans
- E. Coli
- Hepatitis A
- Legionella Pneumophila
- ctivePure

- Stachybotrys
 Chartarum
 - Staphylococcus Aureus
 - Staphylococcus
 Epidermis
 - Streptococcus spp.
 - Swine Flu
 - VOCs

ActivePure[®] TECHNOLOGY



_		-	
Made	in	the	USA

5

INDUCT 750	US40668B Model: A1022D (ozone free) US40659B Model: A1022C	
Technology	ActivePure® Cells	
Electrical	Input Voltage: 100/240VAC, 50/60 Hz	Current: .17 Amps 17 Watts
Mechanical	Distribution via air handler	Safety switch & UV bulb monitoring system installed
Unit Dimensions	9.62" H x 9.62" W x 7.48" D	24cm L x 24cm W x 19cm D
Cell Dimensions	2.250" H x 2.250" W x 5.5" D	5.71cm L x 5.71cm W x 13.97cm D
Weight	3 lbs.	1.2 kilograms
Operating Temperature	34°F - 200°F	1.1°C – 93°C
Coverage	Up to 750 sq. ft.	70 m²
Warranty	Limited 3 year warranty	



DUCT MOUNTED SYSTEM

Uses the same ActivePure® Technology that was proven to reduce over 99.9% of the surface and airborne SARS-CoV-2 virus that causes COVID-191

INTENDED USE

The Induct 2000 attaches directly to the HVAC system ductwork and utilizes ActivePure® Technology to substantially reduce viruses, bacteria and other contaminants in the ambient air and surfaces in businesses, home and spaces up to 2,000 sq. ft.

BENEFITS

- Uses the latest version of ActivePure® Technology
- Provides continuous surface decontamination and air purification in real time
- Safely removes allergy and asthma triggering contaminants
- Protects your heating and cooling system from potentially dangerous buildup

HOW IT WORKS

- Our proprietary ActivePure® Technology uses light waves and a catalytic process to produce scrubber ions hydro peroxides that inactivate contaminants on surfaces and in the air
- Features a high intensity UVC light that makes use of the same oxidation and ionizing proper ties of light as naturally occurring in sunlight
- Certified Space Technology continuously protects and purifies the environment around you
- Proven effective in Independent studies against bacteria, viruses, mold and fungi contaminants on surfaces and in the air
- Installed by a professional directly to the existing HVAC system ductwork

¹Testing done at an independent FDA Certified Compliant Laboratory at UTMB



NOTABLE ACTIVEPURE® FACTS

- Primary technology in an FDA-Cleared Class II Medical Device
- Inducted into the Space Technology Hall of Fame in 2017 and is the only Certified Space Technology product in its class
- Ongoing 2-year double-blind study with the Cleveland Clinic
- Used by 29 professional baseball teams

PROOF IT WORKS

In extensive independent lab testing, ActivePure® has been proven to significantly reduce the following contaminants and pathogens:

• MRSA

- Aspergillus Niger
- Avian Flu
- Bacillus Globigii
- Clostridium Difficile
- Candida Albicans
- E. Coli
- Hepatitis A
- Legionella Pneumophila

- Stachybotrys Chartarum
- Staphulococcus Aureus
- Staphylococcus Epidermis
- Streptococcus spp.
- Swine Flu
- VOCs

ActivePure TECHNOLOGY

2017 Space Technology Hall of Fame Inducted



SPECIFICATIONS

INDUCT 2000	US40663B Model: A1023D (ozone free) US40532 Model: A1023C	
Technology	ActivePure® Cells	0.00 ppm with ozone free replaceable ActivePure® Cell
Electrical	Input Voltage: 100/240 VAC, 50/60 Hz	Current: .17 Amps 19 Watts
Mechanical	Distribution via air handler	Safety switch & UV bulb monitoring system installed
Unit Dimensions	9.62"H x 9.62"W x 11.25"D	24.5cm L x 24.5cm W x 28.5cm D
Cell Dimensions	2.250"H x 2.250"W x 9.0"D	5.71cm L x 5.71cm W x 22.86cm D
Weight	3 lbs	1.2 kilograms
Operating Temperature	34°F – 200°F	1.1°C – 93°C
Coverage	Up to 2,000 sq. ft.	186 m²
Warranty	Limited 3 year warranty	

- Smoke
- Murine Norovirus • Phi-X 174 DNA Virus

• MS2 Bacteriophage RNA Virus

• Listeria Monocytogenes

- Pseudomonas spp.
- SARS-Cov-2 Coronavirus

DUCT MOUNTED SYSTEM

Uses the same ActivePure[®] Technology that was proven to reduce over 99.9% of the surface and airborne SARS-CoV-2 virus that causes COVID-19¹

INTENDED USE

The induct 5000 attaches directly to the HVAC system ductwork and utilizes ActivePure® Technology to substantially reduce viruses, bacteria and other contaminants in the ambient air and surfaces in businesses, homes and spaces up to 5,000 sq. ft.

BENEFITS

- Uses the latest version of ActivePure® Technology
- Provides continuous surface decontamination and air purification
 in real time
- Safely removes allergy and asthma triggering contaminants
- Protects your heating and cooling system from potentially dangerous buildup

HOW IT WORKS

- Our proprietary ActivePure® Technology uses light waves and a catalytic process to produce scrubber ions hydro peroxides that inactivate contaminants on surfaces and in the air
- Features a high intensity UVC light that makes use of the same oxidation and ionizing proper ties of light as naturally occurring in sunlight
- Certified Space Technology continuously protects and purifies the environment around you
- Proven effective in Independent studies against bacteria, viruses, mold and fungi contaminants on surfaces and in the air
- Installed by a professional directly to the existing HVAC system ductwork

¹Testing done at an independent FDA Certified Compliant Laboratory at UTMB



NOTABLE ACTIVEPURE® FACTS

- Primary technology in an FDA-Cleared Class II Medical Device
- Inducted into the Space Technology Hall of Fame in 2017 and is the only Certified Space Technology product in its class
- Ongoing 2-year double-blind study with the Cleveland Clinic
- Used by 29 professional baseball teams

PROOF IT WORKS

In extensive independent lab testing, ActivePure® has been proven to significantly reduce the following contaminants and pathogens:

Listeria Monocytogenes

MS2 Bacteriophage RNA Virus

Aspergillus Niger

Candida Albicans

• Avian Flu

• E. Coli

• Hepatitis A

- MRSA
- Bacillus Globigii
- Clostridium Difficile
- Murine Norovirus
- Phi-X 174 DNA Virus
- Pseudomonas spp.
- SARS-Cov-2 Coronavirus
- Legionella Pneumophila Smoke

- Stachybotrys
 Chartarum
- Staphylococcus Aureus
 - Staphylococcus
 Epidermis
- Streptococcus spp.
- Swine Flu
- VOCs

ActivePure (

2017 Space Technology Hall of Fame Inductee



INDUCT 5000	US40664B Model: A1024D (ozone free) US40536 Model: A1024C	
Technology	ActivePure® Cells	0.00 ppm with ozone free replaceable ActivePure® Cell
Electrical	Input Voltage: 120/240 VAC, 50/60 Hz	Current: 20 Watts .27 Amp Max
Mechanical	Distribution via air handle	Safety switch & UV bulb monitoring system installed
Unit Dimensions	9" W x 9" H x 17" L	23cm W x 23cm H x 43.2cm L
Cell Dimensions	2.250" W x 2.250" H x 14.5" L	5.71cm W x 5.71cm H x 36.83cm L
Weight	4 lbs.	1.8 kilograms
Operating Temperature	34°F – 200°F	1.1°C – 93°C
Coverage	Up to 5,000 sq. ft.	464.5 m ²
Warranty	Limited 3 year warranty	

DUCT MOUNTED SYSTEM

Uses the same ActivePure® Technology that was proven to reduce over 99.9% of the surface and airborne SARS-CoV-2 virus that causes COVID-19¹

INTENDED USE

The Induct 10000 attaches directly to the HVAC system ductwork and utilizes ActivePure® Technology to substantially reduce viruses, bacteria and other contaminants in the ambient air and surfaces in businesses, homes and spaces up to 10,000 sq. ft.

BENEFITS

- Uses the latest version of ActivePure® Technology
- Provides continuous surface decontamination and air purification in real time
- Safely removes allergy and asthma triggering contaminants
- Protects your heating and cooling system from potentially dangerous buildup

HOW IT WORKS

- Our proprietary ActivePure® Technology uses light waves and a catalytic process to produce scrubber ions hydro peroxides that inactivate contaminants on surfaces and in the air
- Features a high intensity UVC light that makes use of the same oxidation and ionizing proper ties of light as naturally occurring in sunlight
- Certified Space Technology continuously protects and purifies the environment around you
- Proven effective in Independent studies against bacteria, viruses, mold and fungi contaminants on surfaces and in the air
- Installed by a professional directly to the existing HVAC system ductwork

¹Testing done at an independent FDA Certified Compliant Laboratory at UTMB



NOTABLE ACTIVEPURE® FACTS

- Primary technology in an FDA-Cleared Class II Medical Device
- Inducted into the Space Technology Hall of Fame in 2017 and is the only Certified Space Technology product in its class
- Ongoing 2-year double-blind study with the Cleveland Clinic
- Used by 29 professional baseball teams

PROOF IT WORKS

In extensive independent lab testing, ActivePure® has been proven to significantly reduce the following contaminants and pathogens:

Murine Norovirus

• Phi-X 174 DNA Virus

Pseudomonas spp.

SARS-Cov-2 Coronavirus

• MRSA

Smoke

• Listeria Monocytogenes

• MS2 Bacteriophage RNA Virus

- Aspergillus Niger
- Avian Flu
- Bacillus Globigii
- Clostridium Difficile
- Candida Albicans
- E Coli
- Hepatitis A
- Legionella Pneumophila

- Stachybotrys Chartarum
- Staphulococcus Aureus
- Staphylococcus Epidermis
- Streptococcus spp.
- Swine Flu
- VOCs

ActivePure TECHNOLOGY



2017 Space Technology Hall of Fame Inductee

SPECIFICATIONS

INDUCT 10000	US40662B Model: A1025D (ozone free) US40537 Model: A1025C	
Technology	ActivePure® Cells	0.00 ppm with ozone free replaceable ActivePure® Cell
Electrical	Input Voltage: 120/240 VAC, 50/60 Hz	Current: 37 Watts .54 Amp Max
Mechanical	Distribution via air handler	Safety switch & UV bulb monitoring system installed
Unit Dimensions	11" W x 11" H x 17" L	28cm W x 28cm H x 43.2cm L
Cell Dimensions	2.250" W x 2.250" H x 14.5" L	5.71cm W x 5.71cm H x 36.83cm L
Weight	8 lbs	3.6 kilograms
Operating Temperature	34°F – 200°F	1.1°C – 93°C
Coverage	Up to 10,000 sq. ft.	929 m²

Warranty Limited 3 year warranty



PORTABLE WHOLE HOME/OFFICE SYSTEM

The Aerus Pure & Clean reduced 99.96% of the airborne SARS-CoV-2 virus within 3 minutes in testing done at a FDA-compliant military lab.

INTENDED USE

The Aerus Pure & Clean uses ActivePure® Technology to significantly reduce viruses, bacteria and other contaminants in the ambient air and surfaces in large indoor spaces up to 2,000 sq. ft.

BENEFITS

- New and improved ActivePure® Technology is the most powerful surface and air purification ever discovered that is safe for use in spaces occupied by people and pets
- Provides continuous surface decontamination and air purification
 in real time
- Over a decade of testing, patented ActivePure® Technology has been proven to reduce over 99.9% of many common airborne and surface contaminants including viruses, bacteria, mold, fungi, VOCs, smoke, allergens, and odors
- The Aerus Pure & Clean combines multiple complementary technologies, including positive and negative multi-point and RF ion generation, HEPA, and activated carbon
- Easily portable due to small size and light weight
- Designed for simple cleaning and maintenance

HOW IT WORKS

- Our proprietary ActivePure® Technology uses UVC light waves and a catalytic process to produce super oxide molecules and hydroperoxides that inactivate contaminants on surfaces and in the air
- Advanced ActivePure® Technology continuously protects and purifies the environment around you



NOTABLE ACTIVEPURE® FACTS

- Used by 29 US Professional Sports Teams and multiple athletes
- Primary technology in a FDA-Cleared Class II Medical Device
- Inducted into the Space Technology Hall of Fame in 2017 and is the only Certified Space Technology product in its class
- Ongoing 2-year double-blind study with the Cleveland Clinic

PROOF IT WORKS

In extensive independent lab testing, ActivePure® has been proven to significantly reduce the following contaminants and pathogens:

• Listeria Monocytogenes

• Phi-X 174 DNA Virus

Pseudomonas spp.

• SARS-Cov-2 Coronavirus

Aspergillus Niger

• Avian Flu

- MRSA
- Bacillus Globigii
- MS2 Bacteriophage RNA Virus
 Murine Norovirus

Smoke

- Clostridium Difficile
 Candida Albicans
- E. Coli
- Hepatitis A
- nopatition
- Legionella Pneumophila

- Stachybotrys Chartarum
- Staphylococcus Aureus
- Staphylococcus
 Epidermis
- Streptococcus spp.
- Swine Flu
- VOCs





2017 Space Technology Hall of Fame Inductee

Aerus Pure & Clean	00746 (ozone free) Model: A1040A Meets	California emissions limit. CARB Certified.
Aerus Pure & Clean	00747 Model: A1041A NOTE: This unit does not me	et California requirements and cannot be shipped to California.
Technology	ActivePure® Cell (2 included) Positive and Negative Multi-poi	nt and RF Ion Generation; HEPA & Activated Carbon Filter
Electrical	Input Voltage: 100 ~ 240 VAC; 50/60 Hz external power supply;	DC 24 Volts; 1.5 Amps Max Power Consumption: 43 Watts Max.
Mechanical	Nominal Airflow Rate: 40-60 CFM Fan	
Dimensions	11.75" H x 9.5" W x 10" D	29.8 cm x 24.1 cm x 25.4 cm
Weight	7.6 lbs	3.45 kg
Operating Temperature	34°F - 200°F	1.1°C – 93°C
Coverage	Up to 2,000 sq. ft. *Depends on room occupancy and layout	186 m ^{2*}
Warranty	Limited 3 year warranty	



SINGLE ROOM AIR SYSTEM

Uses the same ActivePure® Technology that was proven to reduce over 99.9% of the surface and airborne SARS-CoV-2 virus that causes COVID-19¹

INTENDED USE

The AP500 is a powerful, but inconspicuous purification system that utilizes tested ActivePure® Technology to reduce viruses, bacteria and other contaminants in the ambient air and surfaces in smaller rooms or areas up to 350 sq. ft.

BENEFITS

- Uses the latest version of ActivePure® Technology
- Provides continuous surface decontamination and air purification in real time
- Safely removes allergy and asthma triggering contaminants
- Protects your heating and cooling system from potentially dangerous buildup

HOW IT WORKS

- Our proprietary ActivePure® Technology uses light waves and a catalytic process to produce scrubber ions hydro peroxides that inactivate contaminants on surfaces and in the air
- Features a high intensity UVC light that makes use of the same oxidation and ionizing proper ties of light as naturally occurring in sunlight
- Certified Space Technology continuously protects and purifies the environment around you
- Proven effective in Independent studies against bacteria, viruses, mold and fungi contaminants on surfaces and in the air

¹Testing done at an independent FDA Certified Compliant Laboratory at UTMB

AP 500

NOTABLE ACTIVEPURE® FACTS

- Primary technology in an FDA-Cleared Class II Medical Device
- Inducted into the Space Technology Hall of Fame in 2017 and is the only Certified Space Technology product in its class
- Ongoing 2-year double-blind study with the Cleveland Clinic
- Used by 29 professional baseball teams

PROOF IT WORKS

In extensive independent lab testing, ActivePure® has been proven to significantly reduce the following contaminants and pathogens:

• Murine Norovirus

• Phi-X 174 DNA Virus

• Pseudomonas spp.

Smoke

• SARS-Cov-2 Coronavirus

Listeria Monocytogenes

• MS2 Bacteriophage RNA Virus

Aspergillus Niger

• Avian Flu

- MRSA
- Bacillus Globigii
- Clostridium Difficile
- Candida Albicans
- E. Coli
- Hepatitis A
- Legionella Pneumophila

- Stachybotrys Chartarum
- Staphylococcus Aureus
- Staphulococcus Epidermis
- Streptococcus spp.
- Swine Flu
- VOCs

ActivePure TECHNOLOGY



Made in the USA

Hall of Fame Inducted



SPECIFICATIONS

00693 Model: A1028A

NOTE: this unit does not meet California requirements and cannot be shipped to California.

Technology	ActivePure®	Ion Generation
Electrical	Supply Voltage: 120V~, 60 Hz, .18 Amp,	Power Consumption: 13 Watts*
Mechanical	One control switch, on/off	Negative Ionizer
Dimensions	6"W x 12"H x 4"D	15.24 cm W x 30 cm H x 10 cm D
Weight	2.9 lbs.	1.3 kg
Coverage	Up to 350 sq. ft.	32.5 m ²

Warranty Limited 3 year warranty

Our products are not medical devices and are not intended to diagnose, treat, or cure any disease. We make no claims and no claims should be inferred as to the efficacy of our products to sanitize, disinfect or kill germs or other antimicrobials



Air Scrubber WITH CERTIFIED SPACE TECHNOLOGY

INNOVATIVE AIR TREATMENT SYSTEM



Uses the same ActivePure[®] Technology that was proven to reduce over 99.9% of the surface and airborne SARS-CoV-2 virus that causes COVID-191

INTENDED USE

The Air Scrubber Mini by Aerus is ActivePure® Technology installed inside mini-split heating and air conditioning units to remove air pollution, surface contaminants, pet dander, odors and dust, resulting in a cleaner, healthier and more efficient indoor environment. The perfect solution for homeowners and businesses who want to reduce and eliminate harmful pathogens in areas up to 500 sq. ft.

BENEFITS

- Uses the latest version of ActivePure® Technology
- Provides continuous surface decontamination and air purification in real time
- Safely removes allergy and asthma triggering contaminants
- Protects your heating and cooling system from potentially danaerous buildup

HOW IT WORKS

- Our proprietary ActivePure® Technology uses light waves and a catalytic process to produce scrubber ions hydro peroxides that inactivate contaminants on surfaces and in the air
- Features a high intensity UVC light that makes use of the same oxidation and ionizing proper ties of light as naturally occurring in sunlight
- Certified Space Technology continuously protects and purifies the environment around uou
- Proven effective in Independent studies against bacteria, viruses, mold and fungi contaminants on surfaces and in the air
- Installed by a professional directly to the existing HVAC system ductwork

¹Testing done at an independent FDA Certified Compliant Laboratory at UTMB

SPECIFICATIONS

NOTABLE ACTIVEPURE® FACTS

- Primary technology in an FDA-Cleared Class II Medical Device
- Inducted into the Space Technology Hall of Fame in 2017 and is the only Certified Space Technology product in its class
- Ongoing 2-year double-blind study with the Cleveland Clinic
- Used by 29 professional baseball teams

PROOF IT WORKS

In extensive independent lab testing, ActivePure® has been proven to significantly reduce the following contaminants and pathogens:

- Asperaillus Niaer
- Avian Flu
- Bacillus Globiaii Clostridium Difficile

Candida Albicans

• Smoke

- Murine Norovirus
- Phi-X 174 DNA Virus • Pseudomonas spp.
- E. Coli
- Hepatitis A
- Legionella Pneumophila
- Listeria Monocytogenes MRSA
- MS2 Bacteriophage RNA Virus

• SARS-Cov-2 Coronavirus

- Staphylococcus Epidermis

Stachybotrys

Chartarum

Aureus

Staphylococcus

- Streptococcus spp.
- Swine Flu
- VOCs

ActivePure[®] TECHNOLOGY





Hall of Fame Inducte

Made in the USA

	9960019 Model: A1019A (ozone free) 9960020 Model: A1019B	
Technology	ActivePure® Cell	
Electrical	Input Voltage: 120VAC, 230VAC Current: 0.38A @ 120VAC	Power Factor: 0.99 Power: 20 Watts Max
Mechanical	Air Exchange: Distribution via air handler	
Operating Temperature	35°F-131°F	1.6° C to 55° C
Coverage	Up to 500 sq. ft.	46.5 m ²
Warranty	Limited 2 years; 1 year on cell/lamp	

INNOVATIVE AIR TREATMENT SYSTEM

Uses the same ActivePure[®] Technology that was proven to reduce over 99.9% of the surface and airborne SARS-CoV-2 virus that causes COVID-19¹

INTENDED USE

The Air Scrubber Mini EM by Aerus is ActivePure® Technology that mounts externally onto existing mini-split heating and air conditioning unit to remove air pollution, surface contaminants, pet dander, odors and dust, resulting in a cleaner, healthier and more efficient home. Ideally suited for Mini Split HVAC systems where low maintenance or discreet installation might also be an advantage

BENEFITS

- Uses the latest version of ActivePure® Technology
- Provides continuous surface decontamination and air purification
 in real time
- Safely removes allergy and asthma triggering contaminants
- Protects your heating and cooling system from potentially dangerous buildup

HOW IT WORKS

- Our proprietary ActivePure® Technology uses light waves and a catalytic process to produce scrubber ions hydro peroxides that inactivate contaminants on surfaces and in the air
- Features a high intensity UVC light that makes use of the same oxidation and ionizing proper ties of light as naturally occurring in sunlight
- Certified Space Technology continuously protects and purifies the environment around you
- Proven effective in Independent studies against bacteria, viruses, mold and fungi contaminants on surfaces and in the air
- Installed by a professional directly to the existing HVAC system ductwork

¹Testing done at an independent FDA Certified Compliant Laboratory at UTMB

SPECIFICATIONS

NOTABLE ACTIVEPURE® FACTS

- Primary technology in an FDA-Cleared Class II Medical Device
- Inducted into the Space Technology Hall of Fame in 2017 and is the only Certified Space Technology product in its class
- Ongoing 2-year double-blind study with the Cleveland Clinic
- Used by 29 professional baseball teams

PROOF IT WORKS

In extensive independent lab testing, ActivePure® has been proven to significantly reduce the following contaminants and pathogens:

Listeria Monocutoaenes

• MS2 Bacteriophage RNA Virus

- Aspergillus Niger
- Avian Flu
- Bacillus GlobigiiClostridium Difficile

• Candida Albicans

• E. Coli

• Hepatitis A

Murine Norovirus

MRSA

- Phi-X 174 DNA Virus
- Pseudomonas spp.

Smoke

- SARS-Cov-2 Coronavirus
- Legionella Pneumophila

- Stachybotrys
 Chartarum
- Staphylococcus Aureus
- Staphylococcus
 Epidermis
- Streptococcus spp.
- Swine Flu
 - VOCs

ActivePure[®] (TECHNOLOGY





2017 Space Technology Hall of Fame Inductee

hnology N

AIR SCRUBBER MINI EM BY AERUS	9960022 Model: 1020A	
Technology	ActivePure® Cell	
Electrical	Input Voltage: 230 VAC; 60Hz Curre	nt: 0.2 Amp 120 VAC Power Factor: 0.99 Power: 20 Watts Max
Mechanical	Distribution via air handler	
Dimensions	29.75" L x 2.63" W x 1.25" H	75.57 cm L x 6.67 cm W x 3.18 cm H
Weight	1.0 lb.	0.45 kg
Operating Temperature	35°F-131°F (-5° C to 55° C)	1.6° C to 55° C
Coverage	Up to 500 sq. ft.	46.5 m ²
Warranty	Limited 2 year warranty	

PURECLOUD

INNOVATIVE AIR TREATMENT SYSTEM

Uses the same ActivePure[®] Technology that was proven to reduce over 99.9% of the surface and airborne SARS-CoV-2 virus that causes COVID-19¹

INTENDED USE

The PureCloud mounts to the ceiling and utilizes ActivePure®Technology to remove bacteria and other contaminants in the ambient air and surfaces in businesses and homes up to 1,500 sq. ft.

BENEFITS

- Uses the latest version of ActivePure® Technology
- Provides continuous surface decontamination and air purification in real time
- Safely removes allergy and asthma triggering contaminants
- Protects your heating and cooling system from potentially dangerous buildup

HOW IT WORKS

- Our proprietary ActivePure® Technology uses light waves and a catalytic process to produce scrubber ions hydro peroxides that inactivate contaminants on surfaces and in the air
- Features a high intensity UVC light that makes use of the same oxidation and ionizing proper ties of light as naturally occurring in sunlight
- Certified Space Technology continuously protects and purifies the environment around you
- Proven effective in Independent studies against bacteria, viruses, mold and fungi contaminants on surfaces and in the air
- Installed by a professional

¹Testing done at an independent FDA Certified Compliant Laboratory at UTMB

NOTABLE ACTIVEPURE® FACTS

- Primary technology in an FDA-Cleared Class II Medical Device
- Inducted into the Space Technology Hall of Fame in 2017 and is the only Certified Space Technology product in its class
- Ongoing 2-year double-blind study with the Cleveland Clinic
- Used by 29 professional baseball teams

PROOF IT WORKS

In extensive independent lab testing, ActivePure® has been proven to significantly reduce the following contaminants and pathogens:

- Aspergillus Niger
- Avian Flu
- Bacillus Globigii
- Clostridium Difficile
- Candida Albicans
- E. Coli
- Hepatitis A
- Legionella Pneumophila
- MRSAMS2 Bacteriophage RNA Virus
- · 1152 Bacteriophage rin

• Listeria Monocytogenes

- Murine Norovirus
- Phi-X 174 DNA Virus
- Pseudomonas spp.
- SARS-Cov-2 Coronavirus
- la Smoke

- Stachybotrys Chartarum
- Staphylococcus Aureus
- Staphylococcus
 Epidermis
- Streptococcus spp.
- Swine Flu
- VOCs

ActivePure TECHNOLOGY

2017 Space Technology Hall of Fame Inductee Made in the USA

PURE CLOUD	9960026 (230V) Model: A1021B (ozone free) 9960023 (120V) Model: A1021C	Meets California emissions limit. CARB Certified.
Technology	ActivePure®	
Electrical	110-120V 60Hz .75A (90W) 220V - 240V 50Hz 0.3 Amp	
Mechanical	100CFM (Fan) 2.83 m3/min, impedance-protected motor, UV-C bulb, 26 watts, safety power switch	
Dimensions	24" H x 24" W x 5" D	60.96cm H x 60.96cm W x 12.7cm D
Weight	12 lbs.	5.44 kg
Operating Temperature	34°F - 200°F	1.1° C to 93° C
Coverage	Up to 1,500 sq. ft. per hour	139 m ² per hour
Warranty	Limited 3 year warranty	

Air Scrubber WITH CERTIFIED SPACE TECHNOLOGY

PORTABLE ELECTRONIC PURIFIER

Uses the same ActivePure® Technology that was proven to reduce over 99.9% of the surface and airborne SARS-CoV-2 virus that causes COVID-191

INTENDED USE

The Air Scrubber Mobile by Aerus uses ActivePure® Technology to significantly reduce viruses, bacteria and other contaminants in the ambient air and surfaces in small indoor spaces.

BENEFITS

- Uses the latest version of ActivePure® Technology
- Provides continuous surface decontamination and air purification in real time
- Safely removes allergy and asthma triggering contaminants
- Protects your heating and cooling system from potentially dangerous buildup

HOW IT WORKS

- Our proprietary ActivePure® Technology uses light waves and a catalytic process to produce scrubber ions hydro peroxides that inactivate contaminants on surfaces and in the air
- Features a high intensity UVC light that makes use of the same oxidation and ionizing proper ties of light as naturally occurring in sunlight
- Certified Space Technology continuously protects and purifies the environment around you
- Proven effective in Independent studies against bacteria, viruses, mold and fungi contaminants on surfaces and in the air

NOTABLE ACTIVEPURE® FACTS

- Primary technology in an FDA-Cleared Class II Medical Device
- Inducted into the Space Technology Hall of Fame in 2017 and is the only Certified Space Technology product in its class
- Ongoing 2-year double-blind study with the Cleveland Clinic
- Used by 29 professional baseball teams

PROOF IT WORKS

In extensive independent lab testing, ActivePure® has been proven to significantly reduce the following contaminants and pathogens:

Murine Norovirus

• Phi-X 174 DNA Virus

Pseudomonas spp.

• SARS-Cov-2 Coronavirus

MRSA

• Smoke

• Listeria Monocytogenes

• MS2 Bacteriophage RNA Virus

- Aspergillus Niger
- Avian Flu
- Bacillus Globigii
- Clostridium Difficile
- Candida Albicans
- F. Coli
- Hepatitis A
- Legionella Pneumophila

- Stachybotrys Chartarum
- Staphylococcus Aureus
- Staphylococcus Epidermis
- Streptococcus spp.
- Swine Flu
- VOCs

ActivePure[®] TECHNOLOGY

2017 Space Technology Hall of Fame Inducte

AIR SCRUBBER MOBILE BY AERUS	00709 Model: A1018C NOTE: this unit does not meet California requirements and ca	annot be shipped to California.	
Technology	ActivePure® Needlepoint Ionization		
Electrical	12VDC or 110 - 240 VAC 50/60Hz with adapter Power Usage: 12 Volts, 10.7 Watts Max		
Mechanical	Fixed 8.5 KVDC Needle ion generation Fuse: 2 Amp Buss type (12VDC) adapter only) 3-speed fan		
Dimensions	3.625" × 6" × 1.0" (w/o base)	9.21cm x 15.25cm x 2.54cm	
Weight	8 ounces	0.23 kg	
Operating temp	45°F - 100°F	7°C - 38°C	
Coverage	Personal Space or Small Room		
Warranty	Limited 1 year warranty		



LAUNDRY PRO[°]2.0

A BEYOND BY AERUS TECHNOLOGY

COLD WATER LAUNDRY SYSTEM

No detergent. No bleach. No softeners. No hot water. The Smart Solution for Doing Laundry.

INTENDED USE

Laundry Pro 2.0 incorporates the power of our exclusive ActivePure® Technology with the cleaning action of water with hydrogen & oxygenbased oxidizers to lift dirt and grime away from the fibers of fabric and prevent the growth of odor-causing bacteria. Laundry Pro 2.0 is an amazingly effective cold water laundry system for residential use.

BENEFITS

- No need for detergent save money on costs of detergent and softeners
- Eliminates allergic reactions and skin sensitivities due to chemicals in detergent and fabric softeners
- Makes clothes and towels softer by reducing buildup from detergents and softeners
- Cleans the inside of your washing machine where detergents and mildew tend to collect, grow mold, and mix in your wash loads
- Whiter whites and brighter colors without bleach
- Extends the life of your clothing
- Environmentally-friendly

The ActivePure® Technology built into each Laundry Pro 2.0 is based on a variation of the technology originally developed for use on the International Space Station and is recognized as the exclusive Certified Space Technology by the Space Foundation in its category.



HOW IT WORKS

Laundry Pro 2.0 combines the power of our exclusive ActivePure Technology, with the cleaning action of water with hydrogen & oxygen-based oxidizers to lift dirt and grime away from the fibers of fabric and prevent the growth of odor-causing bacteria.

UNIQUE FEATURES

- Monitors it's operation with a blue LED indicator
- Connects to your existing washing machine; No modifications or additional plumbing required
- Optional ActiveClean Port creates high intensity cleaning water for general household cleaning, without the use of chemicals
- Designed and built in the USA

TARGET CUSTOMER

- People who suffer from allergic reactions to detergents, bleach and softeners
- Those with sensitive skin
- Homeowners who want to save money from the cost of detergents, bleach and softeners
- Anyone concerned with protecting the environment
- Homeowners who want to save money from the cost of using hot water



SPECIFICATIONS

LAUNDRY PRO 2.0 00695 Model: W1017H

Technology	ActivePure® Technology	
Electrical	Power Usage: 0.4W AC (standby) 1.3W AC (operating) Power Adaptor Input: AC in: 100-240V ~50/60 Hz 0.45A Power Adaptor Output: DC out: 12V 2.5A	
Mechanical	Water Pressure: Min. 20 psi to 60 psi max./1.37~4.13 bar	
Water Temperature	Use cold water only	
Operating Temperature	50°F to 100°F	10°C - 37.8°C
Operating Humidity	40% to 85%	
Dimensions	17.3" W x 5.19" H x 3.69" D	43.94 cm x 13.48 cm x 9.37 cm
Weight	4.3 lbs	1.95 kg
Warranty	Limited 3 year warranty	



AERUS CORPORATE HEADQUARTERS | DALLAS, TX





AERUS MANUFACTURING PLANT | BRISTOL, VA